

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	3	endian and crawford.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/26 10:20
L12	7	crc and beigel.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/26 10:20
S1	1	wired endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 14:11
S2	54	sata protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 14:22
S3	2573	endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 14:48
S4	132	sas same sata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 15:55
S5	3859	vme	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 15:55
S6	675	vme same versa\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 15:55

S7	103	versamodule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 15:55
S8	489	vme\$5 same backplane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 17:24
S9	1784	endian same byte\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 17:27
S10	132	sas same sata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 17:27
S11	0	S10 same endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 17:28
S12	9	sas same endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 17:41
S13	50	endian near4 logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 17:59
S14	178	endian same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 17:59

S15	203	endian same protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 17:59
S16	0	endian same sata protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:00
S17	929	serial ata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:00
S18	120	serial ata near4 protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:00
S19	0	serial ata same endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:01
S20	9	sas same endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:01
S21	1825	big endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:01
S22	1731	little endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:01

S23	1127	S21 same S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:01
S24	938	S21 with S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:02
S25	51	S24 with devices	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:02
S26	38	S24 with device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:03
S27	295	big endian same little endian same support\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:03
S28	9	big endian same little endian same support\$3 near3 device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:04
S29	365	710/315.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:05
S30	13	710/315.ccls. and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:05

S31	116	endian.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:13
S32	305	endian and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:16
S34	236	endian and "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:14
S35	1127	big endian same little endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:16
S36	76	big endian same little endian same communicat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:19
S37	112	big endian same little endian and phy\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:37
S38	0	big endian same little endian same phy\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:30
S39	217	serial scsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:37

S40	0	serial scsi and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:37
S41	0	serial scsi and 5\$endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:38
S42	0	5\$endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:38
S43	2639	\$4endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:38
S44	0	serial scsi and \$5endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:38
S45	2640	\$5endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:38
S46	306	\$5endian and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:39
S47	275	scsi and \$6endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/04 18:39

S48	10	scsi same \$6endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 09:35
S49	5187	sequence near2 byte\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 09:36
S50	34	sequence near2 byte\$2 with endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 09:36
S51	34	sequence near2 byte\$2 with \$6endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 10:05
S52	60	sequence near2 byte\$2 same \$6endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 09:58
S53	1	control near2 sequence near2 byte\$2 same \$6endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 09:58
S54	4	endian same native format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 10:06
S55	4	\$6endian same native format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 10:14

S56	92	(SAS or big-endian or big endian or little-endian or little endian or sata or endian) same phy\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:14
S57	3	(SAS or big-endian or big endian or little-endian or little endian or sata or endian) same phy\$2 and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:40
S58	3	(SAS or big-endian or big endian or little-endian or little endian or sata or endian) same phy\$2 and \$6endian\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:14
S59	1013	(SAS or big-endian or big endian or little-endian or little endian or sata or endian) same (adapter\$2 or convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:40
S60	942	(SAS or big-endian or big endian or little-endian or little endian or sata) same (adapter\$2 or convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:40
S61	587	(big-endian or big endian or little-endian or little endian or sata) same (adapter\$2 or convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:41
S62	235	serial attached scsi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:42
S63	160	serial attached scsi and sas	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:42



S64	934	serial ata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:42
S65	360	serial ata and sata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:42
S66	189	(serial attached scsi same (serial ata or sata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:43
S67	1	endian logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 11:49
S68	40	endian near3 logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 12:10
S69	1708	crc data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 12:15
S70	2576	endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 12:15
S71	386	endian same convert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 12:15

S72	201	endian same convert\$3 same format	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:05
S73	4808	sata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:06
S74	660	sata same serial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:07
S75	149	S62 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:07
S76	23	S75 and primitive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:36
S77	0	S75 and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:37
S78	8	S62 near2 protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:43
S79	99	S64 near2 protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:41

S80	73	s-ata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:44
S81	492	serial advanced technology attachment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:50
S82	1155	S64 or S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:50
S83	934	S64 or S81 same endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:50
S84	934	S64 or S81 same endian same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:51
S85	0	(S64 or S81) same endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:51
S86	234	(S64 or S81) same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 13:51
S87	20	(S64 or S81) same protocol same convert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 14:13

S88	1827	(big endian or big-endian)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 14:13
S89	1210	(big endian or big-endian) and (little endian or little-endian)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 14:13
S90	1129	(big endian or big-endian) same (little endian or little-endian)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 14:13
S91	210	(big endian or big-endian) same (little endian or little-endian) same convert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 14:14
S92	276	(big endian or big-endian) same (little endian or little-endian) same (convert\$3 or conversion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 14:18
S93	17	(big endian or big-endian) same (little endian or little-endian) same (convert\$3 or conversion) same protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 14:29
S94	0	(big endian or big-endian) same (little endian or little-endian) same (convert\$3 or conversion) and phy\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/05 14:29
S95	52	(bi-endian\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:20

S97	6	(bi-endian\$2) same device\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 10:49
S98	459	(serial attached scsi or sas) and (serial ata or ata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 10:50
S99	269	(serial attached scsi or sas) and (serial ata or sata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 11:10
S10 0	253	(serial attached scsi or sas) same (serial ata or sata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 11:23
S10 1	0	(serial attached scsi or sas) same (serial ata or sata) and (endian\$2 or byte-order\$3 or byte near3 order\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 11:11
S10 2	0	((serial attached scsi or sas) same (serial ata or sata)) and (endian\$2 or byte-order\$3 or byte near3 order\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 11:11
S10 3	0	((serial attached scsi or sas) same (serial ata or sata)) and endian\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 11:11
S10 4	62	((serial attached scsi or sas) same (serial ata or sata)) and byte	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 11:12

S10 5	0	((serial attached scsi or sas) same (serial ata or sata)) and byte with order\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 11:12
S10 6	47	(serial attached scsi or sas) same (serial ata or sata) and phy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:18
S10 7	297	(convert\$3 or adapt\$3) with endian\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:00
S10 8	203	(convert\$3) near5 endian\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:18
S10 9	40	(convert\$3) near5 endian\$2 and (primitive\$2 or native\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:06
S11 0	37	(convert\$3) near5 endian\$2 and (primitive\$2 or native\$2) and byte\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:07
S11 1	28	(convert\$3) near5 endian\$2 and (primitive\$2 or native\$2) and byte\$2 and (control same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:07
S11 2	6	(convert\$3) near5 endian\$2 and (primitive\$2 or native\$2) and byte\$2 and (control same data) same sequenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:08

S11 3	27	(convert\$3) near5 endian\$2 and byte\$2 and (control same data) same sequenc\$3 not S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:15
S11 4	27	(convert\$3) near5 endian\$2 and byte\$2 and (control same data) same sequenc\$3 not S112 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:15
S11 5	0	(convert\$3) near5 endian\$2 and byte\$2 and (control same data) same sequenc\$3 not S112 and memory with consecutiv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:15
S11 6	47	(serial attached scsi or sas) same (serial ata or sata) and phy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:18
S11 7	0	(convert\$3) near5 endian\$2 same phy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:18
S11 8	10	(convert\$3) near5 endian\$2 and phy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:19
S11 9	45	(bi-endian\$2) and byte\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:20
S12 0	18	(bi-endian\$2) and byte\$2 and sequenc\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:20

S12 1	35	(bi-endian\$2) and byte\$2 and conver\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:29
S12 2	11278	cyclic redundancy check	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:29
S12 3	0	cyclic redundancy check data generation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:29
S12 4	248	cyclic redundancy check data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:29
S12 5	3	cyclic redundancy check data same scrambl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:30
S12 6	100	conver\$4 near5 sequenc\$4 with native	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:32
S12 8	2	conver\$4 near5 sequenc\$4 near3 byte\$2 with native	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:31
S12 9	14	conver\$4 near5 sequenc\$4 with native and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:50



S13 0	2591	endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:50
S13 1	307	endian and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:50
S13 2	260	endian and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:51
S13 3	386	endian and "712"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:51
S13 4	130	endian and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:51
S13 5	79	endian and "714"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:51
S13 6	52	endian and "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:51
S13 7	44	endian and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:51

S13 8	144	endian and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:52
S13 9	55	endian and 712/300.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:57
S14 0	361	712/300.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 15:52
S14 1	46	endian and 712/300.ccls. and conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:05
S14 2	269	(serial attached scsi or sas) and (serial ata or sata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:10
S14 3	0	(serial attached scsi or sas) and (serial ata or sata) and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:22
S14 5	13760	sequence\$2 with byte\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:12
S14 6	823	sequence\$2 with byte\$2 same transmit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:13

S14 7	2795	sequence\$2 with byte\$2 same transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:13
S14 8	507	sequence\$2 with byte\$2 same transmit\$4 same order\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:14
S14 9	230	sequence\$2 with byte\$2 same transmit\$4 with order\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:14
S15 0	9	sequence\$2 with byte\$2 same transmit\$4 with order\$3 and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:16
S15 1	34	sequence\$2 with bit\$2 same transmit\$4 with order\$3 and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:16
S15 2	25	stor\$4 with sequence\$2 with bit\$2 same transmit\$4 with order\$3 and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:18
S15 3	10	711/217.ccls. and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:20
S15 4	116	sequenc\$4 near4 (bit\$2 or byte\$2) with primitive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:22

S15 5	2	sequenc\$4 near4 (bit\$2 or byte\$2) with primitive and ((serial attached scsi or sas) or (serial ata or sata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:33
S15 6	3	sequenc\$4 near4 (bit\$2 or byte\$2) with primitive and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:23
S15 7	47	sas with phy\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:35
S15 8	131	multi\$4 near4 protocol\$2 near4 bridge\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:36
S15 9	1	multi\$4 near4 protocol\$2 near4 bridge\$2 and (sata or sas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:36
S16 0	0	multi\$4 near4 protocol\$2 near4 bridge\$2 and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/23 16:36
S16 1	14655	crc same redundancy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 08:59
S16 2	9560	crc same cyclic redundancy check	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 09:01

S16 3	10	crc same cyclic redundancy check and 712/300.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 09:13
S16 4	2	("6622187").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 10:17
S16 5	72	(re-arrang\$3 or re-order\$3 or reorder\$3 or rearrang\$3) near2 byte\$2 same endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 10:26
S16 6	12	(re-arrang\$3 or re-order\$3 or reorder\$3 or rearrang\$3) near4 byte\$2 same endian and phy\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 10:29
S16 7	3	(re-arrang\$3 or re-order\$3 or reorder\$3 or rearrang\$3) near4 byte\$2 same endian same protocol\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 10:31
S16 8	9	(serial attached scsi or sas) same endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 10:32
S16 9	0	(serial ata or sata) same endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 10:32
S17 0	5443	(serial ata or sata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 10:32

S17 1	9	(serial ata or sata) and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 10:34
S17 8	57	(control sequence) same (data sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:11
S17 9	10	(control sequence) same (data sequence) same (byte\$2 or bit\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:14
S18 0	20685	(recogniz\$3 or identif\$4) same (byte\$2 or bit\$2) same sequence\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:16
S18 1	5693	(recogniz\$3 or identif\$4) with (byte\$2 or bit\$2) with sequence\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:16
S18 2	3246	(recogniz\$3 or identif\$4) with (byte\$2 or bit\$2) near3 sequence\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:17
S18 3	1317	(recogniz\$3 or identif\$4) with (byte\$2 or bit\$2) near3 sequence\$2 with (control or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:18
S18 4	675	(recogniz\$3 or identif\$4) with (byte\$2 or bit\$2) near3 sequence\$2 near4 (control or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:18

S18 5	0	(recogniz\$3 or identif\$4) with (control or data) near3 sequence\$2 near3 (bits or byte\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:19
S18 6	344	(recogniz\$3 or identif\$4) with (control or data) near3 sequence\$2 near3 (bits or byte\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:19
S18 7	12	(recogniz\$3 or identif\$4) with (control or data) near3 sequence\$2 near3 (bits or byte\$2) and (endian or sata or sas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:20
S18 8	297	(recogniz\$3 or identif\$4) with data near3 sequence\$2 near3 (bits or byte\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:01
S18 9	107	(recogniz\$3 or identif\$4) with data near3 sequence\$2 near3 (byte\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 15:25
S19 0	5	(recogniz\$3 or identif\$4) with data near3 sequence\$2 near3 (byte\$2) and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 17:00
S19 1	113	byte\$2 near4 (reorder\$3 or re-order\$3 or re-arrang\$3 or rearrang\$3) and endian	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 17:04
S19 2	71	byte\$2 near4 (reorder\$3 or re-order\$3 or re-arrang\$3 or rearrang\$3) and endian and convert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 17:04

S19 3	8	byte\$2 near4 (reorder\$3 or re-order\$3 or re-arrang\$3 or rearrang\$3) and endian and crc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/24 17:04
S19 4	297	(convert\$3 or adapt\$3) with endian\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:22
S19 5	80	(recogniz\$3 or identif\$4) with (bit\$2 or byte\$2) and S194	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:09
S19 6	7	(recogniz\$3 or identif\$4) with (bit\$2 or byte\$2) same S194	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:06
S19 7	0	(recogniz\$3 or identif\$4) with (sequenc\$3 or word\$2 or string\$2) with (bit\$2 or byte\$2) same S194	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:07
S19 8	13	(recogniz\$3 or identif\$4) with (bit\$2 or byte\$2) and S194 and (crc or cyclic redundancy check)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:12
S19 9	139	byte\$2 same S194	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:13
S20 0	133	byte\$2 same S194 not S198 not S196	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:14



S20 1	27	byte\$2 same S194 not S198 not S196 and (endian.ti.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:55
S20 2	3	byte\$2 same S194 not S198 not S196 and scrambl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:17
S20 3	12	byte\$2 same S194 not S198 not S196 and (crc or cyclick redundancy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:19
S20 4	438	conver\$5 with endian\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:24
S20 5	97	conver\$5 with endian\$2 same (transmit\$4 or send\$3 or forward\$3 or pass\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:24
S20 6	70	endian same crc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:57
S20 7	4	endian same crc same conver\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2006/01/25 09:56